


Advance the ride

Designed with automotive styling, the Tempo is backed by proven engineering and a reputation for reliability. Plus, available connected technology supports course management and golfer entertainment.



Standard Colors (Molded-in)



White Cashmere Platinum Green

Premium Colors (Molded-in)



Black Sangria Sapphire

Premium Painted Metallic Colors



Candy Apple Red Midnight Silver Blue Onyx Black Glacier Green Ice Blue

SAVE 50% IN ELECTRICITY COSTS

With the Club Car Tempo™ Lithium Ion



THE 14 HP COMMAND PRO® EFI ENGINE FROM KOHLER & CLUB CAR MAKES YOUR JOB EASIER IN MANY WAYS.

- **Automotive-Grade, Closed-Loop EFI** continuously adjusts engine performance based off an internal oxygen sensor for excellent fuel economy and more reliable starting and performance in any environment.
- **Onboard Diagnostics, Accessible on your Laptop or Smart Device** quickly identify engine issues to keep your vehicle running and decrease maintenance time.
- **Reduced Oil Changes** maximize uptime and your bottom line, thanks to an industry-leading oil change interval recommendation (every 200 hours*).
- **Quieted Metal Components** Specialized material used for the engine's blower housing and valve cover effectively suppresses undesirable engine noise for an enhanced acoustic experience.

*After first oil change at 100 hrs

Club Car Custom Solutions

Since 1995, Club Car's Custom Solutions Department has provided vehicles for golf courses, hotels, resorts, commercial and private organizations world-wide. We specialize in transportation development ranging from simple solutions to complex designs.

www.clubcarsa.co.za | info@afgriequipment.co.za



OPTIONS & ACCESSORIES

More accessories available, ask your Club Car sales representative for details.



Alloy Wheels



Tinted Windshield



Comfort Grip Steering Wheel



Bag Cover with Magnetic Latch



Divot Repair Sand Bottle

Standard seat colors



White

Beige




Gray

Black

PREMIUM SEAT COLORS



Light Beige



Camello

Gray

Two-Tone Camello and Light Beige

Two-Tone Black and Gray
Black also available



Caddy Master Cooler



Sand Trap Rake Kit



Ball and Club Cleaner



USB Port



Lighting Package

TEMPO



GASOLINE

ELECTRIC

TEMPO LI-ION



ELECTRIC

ENGINE	OHC, 429 cc, single cylinder, air-cooled, splash-lubricated, 19.91 ft-lb (27.0 N-m) rated torque @ 2,400 rpm	N/A	N/A
TURNING CIRCLE	17' 4" (5.28m)	17' 4" (5.28m)	17' 4" (5.28 m)
HORSEPOWER	14.0 hp (10.3 kW) rated @ 3,600 rpm	3.3 hp	4.7 Hp AC Drive
GOVERNOR GUARD	Yes	N/A	N/A
BATTERIES	12-volt	(6) 8-volt, single point watering system	3.6 kWh Stored Energy
CHARGER	N/A	48 VDC 13.5 amp DC high frequency solid state charger	650 Watt Charger (standard) 900 Watt Charger (optional)
STEERING	Self-compensating double reduction helical rack & pinion	Self-compensating double reduction helical rack & pinion	Self-compensating double reduction helical rack & pinion
FRONT SUSPENSION	Independent leaf spring w/dual hydraulic shocks	Independent leaf spring w/dual hydraulic shocks	Independent leaf spring w/dual hydraulic shocks
BRAKES	Self-adjusting, rear wheel mechanical drum	Self-adjusting, rear wheel mechanical drum	Self-adjusting, rear wheel mechanical drum
PARK BRAKE	Foot operated, multi-lock	Foot operated, multi-lock	Foot operated, multi-lock
BODY AND FINISH	Molded-in color, Metallic or Premium Available	Molded-in color, Metallic or Premium Available	Molded-in colors, (Standard) or Painted Metallic Colors (Optional)
TIRES	18 x 8.50-8	18 x 8.50-8	18 x 8.50 - 8
L x W x H	91.5 x 47.25 x 68.5 in (232 x 120 x 174 cm)	91.5 x 47.25 x 68.5 in (232 x 120 x 174 cm)	91.5 x 47.25 x 68.5 in (232 x 120 x 174 cm)
WHEELBASE	65.5 in (166.4 cm)	65.5 in (166.4 cm)	65.5 in. (166.4 cm)
GROUND CLEARANCE	4.5 in (11.4 cm)	4.5 in (11.4 cm)	4.5 in. (11.4 cm)
FUEL TANK CAPACITY	6.0 gal (22.7 L)	N/A	N/A
TREAD-FRONT & REAR	34.5 / 38.5 in (87.6 / 97.8 cm)	34.5 / 38.5 in (87.6 / 97.8 cm)	34.5 / 38.5 in (87.6 / 97.8 cm)
CURB WEIGHT	688 lb (312 kg)	909 lb (412.5 kg)	718 lb (325.7 kg)
FLOOR HEIGHT	12 in (30.5 cm)	12 in (30.5 cm)	12 in (30.5 cm)
FRAME TYPE	Ladder-style aluminum box beam	Ladder-style aluminum box beam	Ladder-style aluminum box beam
KICKPLATE	Yes	Yes	Yes
SPEED RANGE	12-15 mph (19.3-24.1 kph)	7 speed settings: 5-15 mph (8-24.14 kph) 2 acceleration settings: Aggressive or traditional 3 pedal-up braking settings: None, mild and aggressive Speed fine adjustment in 0.1 mph (0.16 kph) increments	5 speed settings: 5-15 mph (8-24.14 kph) 2 acceleration settings: Aggressive or traditional 3 pedal-up braking settings: None, Mild and aggressive Speed fine adjustment in 0.1 mph (0.16 kph) increments
LIMITED WARRANTY*	5-year: Gas engine and transaxle 4-year: Canopy, electronics, pedal group, standard seats, suspension 3-year: Body panels, electric powertrain, premium seats 2-year: All remaining components Limited lifetime: Frame	4-year: Batteries (25,000 amp hours/4 years with authorized deionizer and filter system; otherwise, 20,000 amp hours/4 years), canopy, electronics, pedal group, standard seats, suspension 3-year: Body panels, electric powertrain, premium seats 2-year: All remaining components Limited lifetime: Frame	5-year: Lithium-Ion Battery (unlimited, one time transferrable)** and Vehicle Control Module 4-year: DBR 3-year: Body panels, electric powertrain, premium seats 2-year: All remaining components Limited Lifetime: Frame

The weight stated is approximate only and should not be used for official documentation.

*There are no warranties, express or implied, contained herein. See Limited Warranty found in the owner's manual or write to Club Car, LLC. Vehicle specifications are accurate for each model at the time of publication. The company reserves the right to make design changes without obligation to make these changes on units previously sold. These vehicles are designed and manufactured for off-road use only. They do not conform to Federal Motor Vehicle Safety Standards for automobiles or to FMVSS 500 for low-speed vehicles and are not equipped for operation on public streets, roads or highways.

**Additional Restrictions Apply